



**Kentucky Public Health**  
Prevent. Promote. Protect.

# **Annual School Immunization Survey: Infinite Campus Instructions**

**Kentucky Immunization Program  
Department for Public Health**

**July 2013**

## **Class Codes**

97.....2 year old class  
98.....3 year old class  
99.....4 year old class  
00.....Kindergarten  
06.....Sixth Grade

### ***Disclaimer***

This document contains information consistent with the Infinite Campus program, including spelling used for immunizations.

<b>13-14</b> <b>ABC MIDDLE SCHOOL</b> 1234 School Drive, Yourtown, KY 01234 Generated on 07/31/2013 08:00:00 AM Page 1 of	<b>Immunization Compliance Summary Report</b> Grade(s): 06 Effective Date 07/31/2013 <span style="border: 1px solid red; border-radius: 50%; padding: 2px;">Total Students: 84</span>
--	---

## Compliance Totals

All Vaccines					Current/Provisional = Total Students – Medical – Religious – None					
Grade	Compliant	*Non-compliant	No Shots	Totals	Exemptions			Certificates		
					Medical	Religious	Hx/Dis	Valid	Expired	None
06	84 (100%)	0 (0%)	0 (0%)	84	0 (0%)	1 (1.2%)	5 (6%)	76 (90.5%)	8 (9.5%)	0 (0%)
Totals	84	0	0	84	0	1	5	76	8	0

These are all numbers you enter in the Immunization Certificates and Exemptions section on the survey. To get Current/Provisional use the formula:  
**Current/Provisional = Total Students – Medical – Religious – None**

\*Non-compliant for at least one vaccine with at least one shot on record

### Diphtheria-tetanus-pertussis, combined [DTaP, DTP] – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	0 (0%)	0 (0%)	84 (100%)	0 (0%)	0 (0%)	0 (0%)	84
<b>Totals</b>	<b>0</b>	<b>0</b>	<b>84</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>84</b>

### DTaP

Only select for grade(s): 97, 98, 99, 00

### Hemophilus influenza, type B [Hib] – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	0 (0%)	0 (0%)	84 (100%)	0 (0%)	0 (0%)	0 (0%)	84
<b>Totals</b>	<b>0</b>	<b>0</b>	<b>84</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>84</b>

### Hib

Only select for grade(s): 97, 98, 99

### Hepatitis B [Hep B] – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	84 (100%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	84
<b>Totals</b>	<b>84</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>84</b>

### Hep B

Select for all grades: 97, 98, 99, 00, 06

### Measles-Mumps Rubella [MMR] – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	84 (100%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	84
<b>Totals</b>	<b>84</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>84</b>

### MMR

Select for all grades: 97, 98, 99, 00, 06  
 Grades 97 & 98 only require 1 MMR  
 (See Dose Count Totals on page 3)  
 Grades 99, 00, 06 require 2 MMR  
 (See Dose Count Totals on page 3)

## Meningococcal – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	84 (100%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	84
Totals	84	0	0	0	0	0	84

## Meningococcal

Only select for grade: 06

## Pneumococcal – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	0 (0%)	0 (0%)	84 (100%)	0 (0%)	0 (0%)	0 (0%)	84
Totals	0	0	84	0	0	0	84

## Pneumococcal

Only select for grade(s): 97, 98, 99

## Polio [IPV, OPV] – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	84 (100%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	84
Totals	84	0	0	0	0	0	84

## Polio

Only select for grade(s): 97, 98, 99, 00

## Tetanus, Diphtheria and Acellular Pertussis [Tdap] – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	84 (100%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	84
Totals	84	0	0	0	0	0	84

## Tdap

Select only for grade: 06

## Varicella – Compliance Totals

Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
06	79 (92.9%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)	5 (6%)	84
Totals	79	0	0	0	0	5	84

## Varicella

Select for all grade(s): 97, 98, 99, 00, 06  
 Grades 97 & 98 require 1 Varicella\*  
 (See Dose Count Totals on page 5)  
 Grades 99, 00, 06 require 2 Varicella\*  
 (See Dose Count Totals on page 5)

\*When looking at the Varicella Compliance Totals, the Hx/Dis tells you how many children in this age group had chickenpox. Chickenpox does not make children non-compliant if they do not have the required number of Varicella doses for his/her age group. Just remember this number when we look at the dose count totals and it will be discussed further.

## Dose Count Totals

Diphtheria-tetanus-pertussis, combined [DTaP, DTP] – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	84	0	0	0	0	0	0	0	84
Totals	84	0	0	0	0	0	0	0	84

### DTaP

Children in grade(s) 97, 98, 99, 00 should have 4 or more doses.

Hemophilus influenza, type B [Hib] – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	84	0	0	0	0	0	0	0	84
Totals	84	0	0	0	0	0	0	0	84

### Hib

Children in grade(s) 97, 98, 99 should have 3 or more doses.

Hepatitis B [Hep B] – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	0	0	0	82	2	0	0	0	84
Totals	0	0	0	82	2	0	0	0	84

### Hep B

Children in grade(s) 97, 98, 99, 00, 06 should have 3 or more doses. \*\*Sixth graders may also have the 2 Dose Adult Alternative Schedule. Call our office if you have questions on how to report this.\*\*

Measles-Mumps Rubella [MMR] – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	0	0	83	1	0	0	0	0	84
Totals	0	0	83	1	0	0	0	0	84

### MMR

Children in grade(s) 97, 98 should have at least 1 dose. Children in grade(s) 99, 00, 06 should have at least 2 doses.

## Day Care, Head Start, Preschool MMR Example

Measles-Mumps Rubella [MMR] – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
97	3	8	0	0	0	0	0	0	11
98	1	4	1	0	0	0	0	0	6
99	1	2	16	1	0	0	0	0	20
Totals	5	14	17	1	0	0	0	0	37

### MMR Dose: Childcare Example

Children 19 months to 47 months (grades 97, 98) with at least 1 dose=  
 $8 (97, 1 \text{ dose}) + 4 (98, 1 \text{ dose}) + 1 (98, 2 \text{ doses}) = 13$

Children 48 months to 5 years of age (grade 99) with at least 2 doses=  
 $16 (99, 2 \text{ doses}) + 1 (99, 3 \text{ doses}) = 17$

Meningococcal – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	0	83	1	0	0	0	0	0	84
Totals	0	83	1	0	0	0	0	0	84

## Meningococcal (MVC4)

Children in grade 06 should have 1 or more doses.

Pneumococcal – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	84	0	0	0	0	0	0	0	84
Totals	84	0	0	0	0	0	0	0	84

## Pneumococcal (PVC)

Children in grade(s) 97, 98, 99 should have 4 or more doses.

Polio [IPV, OPV] – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	0	0	0	4	80	0	0	0	84
Totals	0	0	0	4	80	0	0	0	84

## Polio (IPV, OPV)

Children in grade(s) 97, 98, 99, 00 should have 3 or more doses.

Tetanus, Diphtheria and Acellular Pertussis [Tdap] – Dose Count Totals									
Dose Counts									Totals
Grade	0	1	2	3	4	5	6	7+	
06	0	83	1	0	0	0	0	0	84
Totals	0	83	1	0	0	0	0	0	84

## Tdap

Children in grade 06 should have 1 or more doses.

**\*\*Note:** Only if a child has a Td and ***NOT*** a Tdap on his or her immunization certificate, do you count them on the sixth grade survey in the Td cell. This number should be zero or very small. Most incoming sixth graders should have a Tdap as required for sixth grade entry.\*\*

Varicella – Dose Count Totals									
Grade	Dose Counts								Totals
	0	1	2	3	4	5	6	7+	
06	0	5	76	3	0	0	0	0	84
Totals	0	5	76	3	0	0	0	0	84

## Varicella

Children in grade(s) 97, 98 should have at least 1 dose.

Children in grade(s) 99, 00, 06 should have 2 or more doses.

Let's look at the example above for the sixth grade at ABC Middle School. There were 84 total students in the sixth grade with 76 receiving 2 doses, 3 receiving 3 doses, and 5 students receiving only 1 dose of varicella. By just looking at these numbers we would think that only 79 students received the correct number of vaccinations to make them compliant with the school entry requirements (2 or more doses of Varicella). However, remember in the first part of the Summary Report we looked at the Compliance Totals and saw we had 5 students with a Hx/Dis for Varicella (see page 2)? This is where that number comes in. Even though we would assume that only 79 children had the proper number of vaccinations, as would be the case for any other immunization on the survey, a history of Chickenpox is the exception. Any child who has a history of having the chickenpox automatically counts as having the proper number of doses for his or her age group. Therefore, all 84 students at ABC Middle School were compliant with their Varicella immunization for this school year.

## Day Care, Head Start, Preschool Varicella Example

Varicella – Dose Count Totals									
Grade	Dose Counts								Totals
	0	1	2	3	4	5	6	7+	
97	3	14	0	0	0	0	0	0	17
98	1	18	2	0	0	0	0	0	21
99	0	2	11	1	0	0	0	0	14
Totals	4	34	13	1	0	0	0	0	52

Above is an example of what the Day Care, Head Start, Preschool data could look like when you query for grades 97, 98, and 99. Remember, grades 97 and 98 only need to have at least 1 dose of Varicella for the student to be compliant. Grade 99 needs to have 2 doses of Varicella. From the data above, there 34 students in grades 97 and 98 who have at least 1 dose of Varicella and for grade 99, twelve students have at least 2 doses of Varicella. Now is when you go back to the Varicella- Compliance Totals to determine if any of your children have a history of Chickenpox or an exemption. As you can see from the information below, one child in grade 97 has had the chickenpox, as well as two children in grade 99. This would bring the total for grades 97 and 98 to 35 (to be placed in the Varicella cell for children 19 months to 47 months of age) and 13 for the number of children compliant in grade 99 (to be placed in the Varicella cell for children 48 months to 5 years of age).

Varicella – Compliance Totals							
Grade	Compliant	Non-compliant	No Requirement	Exemptions			Totals
				Medical	Religious	Hx/Dis	
97	15	0	0	1	0	1	17
98	20	0	0	0	1	0	21
99	12	0	0	0	0	2	14
Totals	48	0	0	1	1	3	52